

92A TPU

Safety Document



Issue date: 6/21/2021 / Revision date: 1/3/2022 / Supersedes version of: 6/21/2021 / Version: 2.0

SECTION 1: Identification of the article and of the company/undertaking

1.1. Product Identifier

Article name : 92A TPU

1.2. Relevant identified uses of the article and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety document

KIMYA

20 rue Chevreul

44100 Nantes - France

T +33(0)2 40 38 40 00 contact@kimya.fr - www.kimya.fr

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards Identification

Not applicable. To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

SECTION 3: Composition/information on ingredients

Thermoplastic Polyurethane

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation: In the event of faintness in consequence of exposure, immediately transport the victim to the fresh air.

First-aid measures after eye contact: Rinse immediately with plenty of water.

Remove contact lenses, if present and easy to do. Continue rinsing. In the event of contact with molten product : Immediately rinse with water for a prolonged period while holding the eyelids wide open, Get medical advice/attention if you feel unwell.

First-aid measures after ingestion: Treat symptomatically. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

SNo additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

92A TPU

Safety Document (Continued)



SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water spray. Dry powder. Foam.

Unsuitable extinguishing media: CO2 may be ineffective on large fires.

5.2. Special hazards arising from the article

Hazardous decomposition products in case of fire: Thermal decomposition generates : Chlorine. hydrogenchloride. Sulphur dioxide.

5.3. Advice for firefighters

Firefighting instructions: Thermoplastic polymers can burn. Protect product from flames; maintain proper clearance when using heat devices, etc. Irritating or toxic substances will be emitted upon burning, combustion or decomposition. Large masses of molten polymer held at elevated temperatures for extended periods of time may auto-ignite.

Protection during firefighting: Positive pressure self-contained breathing apparatus (SCBA). Use a self-contained breathing apparatus and also a protective suit. Safety glasses with side shields. Protective gloves. Safety foot-wear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Recover when in a solid form. Recycle product or dispose safely.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling: Handle in accordance with good industrial hygiene and safety practice. Ensure good ventilation of the work station. Risk of thermal burns on contact with molten product. Do not breathe dust. Do not breathe vapours. Hygiene measures: Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

No additional information available

7.3. Specific end use(s)

No additional information available

92A TPU 3D Filament

Safety Document (Continued)



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.3. Eye and face protection

Eye protection:

Where contact with eyes or skin is likely, wear suitable protection

8.2.2.2. Skin protection

Skin and body protection:

Long sleeved protective clothing

Hand protection:

Heated product causes burns. Protective gloves

Other skin protection

Materials for protective clothing: Wear proper protective equipment

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Regular cleaning of equipment, work area and clothing.

92A TPU 3D Filament

Safety Document (Continued)



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Solid

Odour: slight

Odour threshold: No data available

pH: No data available

Relative evaporation rate (butylacetate=1): No data available

Melting point: No data available

Freezing point: No data available

Boiling point: No data available

Flash point: No data available

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Flammability (solid, gas): No data available

Vapour pressure: No data available

Relative vapour density at 20 °C: No data available

Relative density: 1.05

Solubility: not soluble in water.

Partition coefficient n-octanol/water (Log Pow): No data available

Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

Explosive properties: No data available

Oxidising properties: No data available

Explosive limits: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates : Carbon oxides (CO, CO₂). May liberate toxic gases. Nitrogen Oxides (NO_x). Isocyanates. Small amounts: Hydrogen cyanide.

92A TPU 3D Filament

Safety Document (Continued)



SECTION 11: Toxicological information

No additional information available

SECTION 12: Ecological information

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods: Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Exempt from transport classification and labelling

SECTION 15: Regulatory information

No additional information available

SECTION 16: Other information

No additional information available